


Recommended COVID-19 vaccine doses¹

Primary course recommendations




Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not available, [use other vaccines approved for that age group](#).
2. Includes those with conditions that increases the risk of severe COVID-19 illness (refer to [Australian Immunisation Handbook](#)).
3. Consider dose based on an individual risk benefit assessment with an immunisation provider.
4. People with severe immunocompromise, who are over 6 months of age, are recommended 2 primary doses and are eligible for a 3rd primary dose based on an individual risk-benefit assessment. Refer to the [Australian Immunisation Handbook](#) for further information.

Information current as of May 2024.

Recommended COVID-19 vaccine doses¹

COVID-19 Booster dose recommendation



Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not available, [use other vaccines approved for that age group](#).
2. Consider dose based on an individual risk benefit assessment with an immunisation provider.
3. People with severe immunocompromise, who are aged between 18 to 64 years, are recommended a dose every 12 months and are eligible for a dose every 6 months based on an individual risk-benefit assessment. Refer to the [Australian Immunisation Handbook](#) for further information.
4. People aged between 65 and 74 years are recommended a dose every 12 months and are eligible for a dose every 6 months based on an individual risk-benefit assessment. Refer to the [Australian Immunisation Handbook](#) for further information.